

- 1 2. The telephone of claim 1 including a removable 2 module.
- 3. The telephone of claim 2 wherein said module
   includes a display.
- 1 4. The telephone of claim 2 wherein said module 2 includes a processor.
- 5. The telephone of claim 2 wherein said module includes additional memory.
- 1 6. The telephone of claim 2 wherein said module 2 includes an Ethernet adapter.
- 7. The telephone of claim 2 wherein said processor is a baseband processor and said module includes an applications processor.

1

2

| 1 | ackslash 8. The telephone of claim 1 wherein said housing |
|---|---|
| 2 | includes a front face having a keyboard, said compartmen  |
| 3 | opening in said front face to receive said module.        |

- The telephone of claim 1 wherein said housing 1 houses a battery and said compartment is accessible beneath 2 said battery. 3
- The telephone of claim 1 wherein said housing 1 includes a front face including a keyboard, a rear face, 2 and opposed ends,\one of said ends including a slot to 3 access the compartment in said housing.
  - A method comprising: 11.
- providing a cellular telephone including a compartment to receive replaceable modules; and 3 4 providing a plurality of replaceable modules having different capabilities that may be slid into the 5
- compartment of said cellular telephone to upgrade said 6
- 7 cellular telephone.
- The method of claim 11 including providing a 1 2 module that includes a display.

14

- 1 13. The method of claim 11 including providing a 2 module that includes a processor.
- 1 14 The method of claim 11 including providing a 2 module that includes additional memory.
- 1 15. The method of claim 11 including providing a 2 module with an Ethernet adapter.
- 1 16. The method of claim 11 including providing a 2 module that includes an applications processor.
- 1 17. The method of claim 11 including providing an 2 opening in the front face of said telephone to receive said 3 module.
- 1 18. The method of claim 11 including providing a compartment beneath the battery of the cellular telephone.
- 1 19. The method of claim 11 including providing a slot 2 in the cellular telephone's housing to slidingly receive a 3 module.
- 1 20. The method of claim 11 including providing a 2 plug-in connection in the compartment for a module.

| 1 | 21. A cellular telephone comprising:                      |
|---|---|
| 2 | a housing;  |
| 3 | igg angle a compartment formed in said housing to         |
| 4 | pluggingly receive a module within said compartment; and  |
| 5 | ackslash an electrical connection between said compartmen |
| 6 | and said processor.                                       |

- 1 22. The cellular telephone of claim 21 including a 2 removable module.
- 1 23. The cellular telephone of claim 22 wherein said 2 module includes an applications processor.
- 1 24. The cellular telephone of claim 22 wherein said 2 module includes a display.
- 25. The cellular telephone of claim 22 wherein said
   module includes additional memory.